Solutions for winemaking LAMOTHE-ABIET

TECHNICAL DATA SHEET

CENOBOIS® GRANULAR US (American oak granular) MEDIUM

FORMULATION

American oak granular from selected species **Quercus Alba**, sourced only from American forests. These forests are naturally grown without any treatment products. Woods are naturally air-seasoned before transformation. No chemicals are used during the stage of transformation or storage. Once seasoned, oak is machined to transform into granular, then toasted with a convection oven to reach the define temperature: MEDIUM.

FIELD OF APPLICATION

Use for the winemaking of white, rosés and red wines, during fermentation steps. Enological product, whose utilization is controlled according to the regulation. Refer the legislation in force in your area.

APPLICATION RATE

White and rosés wines: 0.5 to 2 g/L. Red wines: 1 to 4 g/L. Application rate must be adapted to the organoleptic objective.

DIRECTIONS FOR USE

Use by soaking the oak granular in the grape or must.

SPECIFICATIONS

PHYSICAL		Iron	< 100 mg / kg	
Aspect	Oak granular	Arsenic	< 2 mg / kg	
Color	brown	Lead	< 5 mg / kg	
Dimensions	3 to 8 mm	Mercury	< 1 mg / kg	
CHEMICAL		Cadmium	< 0,5 mg / kg	
Benzo(a)pyrene	< 50 ng / g	MICROBIOL	MICROBIOLOGICAL	
Pentachlorophenol	< 100 ng / g	Aerobic mesophiles	< 10 ⁴ UFC / g	
2, 3, 4, 6 Tetrachloroanisole	< 1 ng / g	Salmonella	Absent / 25 g	
2, 4, 6 Trichloroanisole	< 0,2 ng / g	Coliforms	< 10 UFC / g	
Pentachloroanisole	< 100 ng / g	Yeasts	< 10 UFC / g	
		Moulds	< 10 ⁴ UFC / g	

STORAGE

Store in original and air-tight outer packaging in a dry environment. Keep away from chemical products such as fungicides, pesticides, cleaning products, chlorine based products and wood treatment products. Use quickly after opening.

PACKAGING

12 kg PE bag lined with PET.



LC/29-10-2019



For oenological use. This document is correct at the time of publication and is provided for information purposes only, without commitment or guarantee. This product should be used in accordance with the relevant legislation and standards. In accordance with the EU Regulation n°2019/934 (and its modifications).