

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: SULFISOL 18%
Type of product	: Preserving agent
Product group	: Trade product
Other means of identification	: E228 - E220

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use
Industrial/Professional use spec	: For professional users only
Use of the substance/mixture	: Potassium bisulphite (E228) and sulphur dioxide (E220) in aqueous solution, containing 180 g/L of pure sulphur dioxide. Sulphating of juice and wines. Preservative.
Use of the substance/mixture	: For œnological use

1.2.2. Uses advised against

Restrictions on use	: Food/feedstuff additives
---------------------	----------------------------

1.3. Details of the supplier of the safety data sheet

Manufacturer

LAMOTHE-ABIET

Avenue Ferdinand de Lesseps ZA-ACTIPOLIS

33610 CANEJAN - FRANCE

T +33557779292 - F +33556864002

contact@lamothe-abiet.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	
Canada	Ontario Poison Centre (OPC)	The Hospital for Sick Children 555 University Avenue ON M5G 1X8 Toronto	1-800-268-9017 (416) 813-5900	
Canada	BC Drug and Poison Information Centre (DPIC)	655 West 12th Avenue BC V5Z 4R4 Vancouver	1-800-567-8911 (604) 682-5050	

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

China	National Poison Control Center	Chinese Center for Disease Control and Prevention Nanwei road, No.29 100050 Beijing	+86 10 831 32 046	
Croatia	Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada	Ksaverska Cesta 2 p.p. 291 10000 Zagreb	+385 1 234 8342	Information available 24/7 in Croatian and English
Czech Republic	Toxikologické informační středisko Klinika pracovního lékařství VFN a 1. LF UK	Na Bojišti 1 120 00 Praha 2	+420 224 919 293 +420 224 915 402	
Denmark	Giftlinjen	Bispebjerg Bakke 23 Opgang 20 C 2400 København NV	+45 82 12 12 12	
Georgia	National Toxicology Information Advisory Center	Tbilisi State Medical University Department of Toxicology - 7 Asatiani St. 380 077 Tbilisi	+995 99 533320	
Greece	Poisons Information Centre Children's Hospital P&A Kyriakou	11762 Athens	+30 2 10 779 3777	
Hungary	Országos Kémiai Biztonsági Intézet Egészségügyi Toxikológiai Tájékoztató Szolgálat	Nagyvárad tér 2. 1437 Budapest, Pf. 839 1097 Budapest	+36 80 20 11 99	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Japan	Japan Poison Information Center	Tsukuba Medical Center 1-1-1 Amakubo 305-0005 Tsukuba City, Ibaraki	+81-29-856-3566 +81-72-727-2499	
Jordan	National Drug & Poison Information Center of Jordan		0798506755 00962-6-5353444	
Kazakhstan	Republican Toxicology Center	Tole-bi 93 480083 Almaty	+7 3272 925 868	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

New Zealand	National Poisons Centre	Dunedin School of Medicine, University of Otago PO Box 913 9054 Dunedin	0800 764 766 +56 2 2 247 3600	
Poland	National Poisons Information Centre The Nofer Institute of Occupational Medicine (Łódź)	ul. Teresy 8 P.O. BOX 199 90950 Łódź	+48 42 63 14 724	
Romania	Department of Clinical Toxicology Spitalul de Urgenta Floreasca	Calea Floreasca Bucuresti	+40 21 230 8000	
Russia	Информационно-консультативный центр по токсикологии (RTIAC) Министерство здравоохранения Российской Федерации	3 Сухаревская Площадь Блок 7 129090 г. Москва	+7 495 628 1687 (только на русском)	
Serbia	Nacionalni centar za kontrolu trovanja - VMA	Crnotravska 17 11000 Beograd	+381 11 360 84 40	
Slovenia	Center za klinično toksikologijo in farmakologijo Interna klinika, UKCL	Zaloška 7 1000 Ljubljana	+386 522 52 83	
South Africa	Tygerberg Poison Information Centre	Division of Clinical Pharmacology Faculty of Medicine and Health Sciences Stellenbosch University - PO Box 241 8 000 Cape Town	0861 555 777 +56 2 2 247 3600	
Sweden	Giftinformationscentralen	Solna Strandväg 21 171 54 Solna	112 – begär Giftinformation	
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzısıhha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 06590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Llandough	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB Newcastle	0344 892 0111	Only for healthcare professionals
United States of America	American Association of Poison Control Centers	515 King St., Suite 510 VA 22314 Alexandria	1-800-222-1222 +56 2 2 247 3600	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319

Specific target organ toxicity — Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. May cause irritation to the respiratory tract.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)	: P261 - Avoid breathing fume, gas, mist, spray, vapours. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a doctor, a POISON CENTER if you feel unwell.
EUH-statements	: EUH031 - Contact with acids liberates toxic gas.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium bisulfite - E228 substance with a Community workplace exposure limit	(CAS-No.) 7773-03-7 (EC-No.) 231-870-1	10 – 20	Eye Irrit. 2, H319 STOT SE 3, H335
Sulphur dioxide (E220) substance with a Community workplace exposure limit	(CAS-No.) 7446-09-5 (EC-No.) 231-195-2 (EC Index-No.) 016-011-00-9 (REACH-no) 01-2119485028-34	1 – 5	Press. Gas (Liq.), H280 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:gas), H331 Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In case of doubt or persistent symptoms, consult always a physician. Remove victim from polluted area. Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a physician.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Get medical advice if skin irritation persists.

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Never attempt to induce vomiting : risk of inhalation. Remove person to fresh air and keep comfortable for breathing. Loosen tight clothing such as a collar, tie, belt or waistband. If unconscious place in recovery position and seek medical advice. P310 - Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: More detailed information: See section 11.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause skin irritation / dermatitis.
Symptoms/effects after eye contact	: Eye irritation. Serious damage to eyes.
Symptoms/effects after ingestion	: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Seek a medical assistance, even if there are no immediate symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: carbon dioxide (CO ₂), powder, alcohol-resistant foam, water spray.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Hazardous vapours may be released. Sulphur dioxide.
--------------------------------------------------	-------------------------------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Do not contaminate ground and surface water. Dispose in a safe manner in accordance with local/national regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Evacuate personnel to a safe area.
------------------	--------------------------------------

6.1.1. For non-emergency personnel

Protective equipment	: Wear personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not flush into surface water or sewer system.

6.3. Methods and material for containment and cleaning up

For containment : Cover spill with non combustible material, e.g.: sand, earth, vermiculite.
Methods for cleaning up : Mechanically recover the product. Shovel into suitable and closed container for disposal. Clean contaminated surfaces with an excess of water.
Other information : Dispose of materials or solid residues at an authorized site. Do not allow to enter drains or water courses.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Store tightly closed in a dry and cool place. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid inhalation of vapours.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. If on skin, take off contaminated clothing. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep only in the original container.
Storage conditions : Keep in a well-ventilated room. Store tightly closed in a dry and cool place. Store away from direct sunlight or other heat sources.
Incompatible products : Strong acids and oxidants.
Heat and ignition sources : Keep away from ignition sources (including static discharges). Store away from heat.

7.3. Specific end use(s)

For oenological use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Potassium bisulfite - E228 (7773-03-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL STEL [ppm]	1 ppm SO ₂

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Potassium bisulfite - E228 (7773-03-7)	
France - Occupational Exposure Limits	
VLE (OEL C/STEL)	≈ 5 mg/m ³ SO ₂
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL STEL [ppm]	0,25 ppm SO ₂

Sulphur dioxide (E220) (7446-09-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sulphur dioxide
IOEL TWA	1,3 mg/m ³
IOEL STEL	2,7 mg/m ³
IOEL STEL [ppm]	1 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
France - Occupational Exposure Limits	
Local name	Soufre (dioxyde de) (Anhydride sulfureux)
VME (OEL TWA)	≈ 10 mg/m ³ Total dust
VME (OEL TWA) [ppm]	0,5 ppm
VLE (OEL C/STEL)	2,7 mg/m ³
VLE (OEL C/STEL) [ppm]	1 ppm
Remark	Valeurs règlementaires indicatives
Regulatory reference	Circulaire du Ministère du travail (réf.: Arrête du 27 septembre 2019)
Spain - Occupational Exposure Limits	
Local name	Dióxido de azufre
VLA-ED (OEL TWA) [1]	1,32 mg/m ³
VLA-ED (OEL TWA) [2]	0,5 ppm
VLA-EC (OEL STEL)	2,64 mg/m ³
VLA-EC (OEL STEL) [ppm]	1 ppm
Remark	s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.mssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment:

Refer to protective measures listed in Sections 7 and 8.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:			
Safety glasses			
Type	Field of application	Characteristics	Standard
Safety glasses		With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:
Wear suitable protective clothing

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Type	Standard
Chemically resistant protective gloves	EN 374

Hand protection:					
Protective gloves					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Chloroprene rubber (CR)	6 (> 480 minutes)	0.5		EN ISO 374
Chemically resistant protective gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.7		EN ISO 374

Other skin protection
Materials for protective clothing:
Long sleeved protective clothing. Use chemically protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. EN 143. EN 145. EN 149

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not allow into drains or water courses. Avoid release to the environment.

Other information:

Do not eat, drink or smoke during work. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: pale. amber.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosive limits	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 100 °C Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: ≈ 5 20°C
Viscosity, kinematic	: Not applicable
Solubility	: Soluble in water. Slightly soluble in: Ethanol.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1,19 kg/l 20°C
Relative density	: Not applicable
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. On contact with acid releases: Sulphur dioxide.

10.3. Possibility of hazardous reactions

May react violently with oxidants. May react violently with acids.

10.4. Conditions to avoid

Heat. flames or sparks.

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

Oxidizing agent. Acids.

10.6. Hazardous decomposition products

See Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Potassium bisulfite - E228 (7773-03-7)

LD50 oral rat	> 2000 mg/kg bodyweight
---------------	-------------------------

Skin corrosion/irritation : Slightly irritant but not relevant for classification
pH: ≈ 5 20°C
Serious eye damage/irritation : Severe eye irritation
pH: ≈ 5 20°C
Additional information : Causes serious eye damage.
Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : May cause respiratory irritation.

Potassium bisulfite - E228 (7773-03-7)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SULFISOL 18%

Viscosity, kinematic	Not applicable
----------------------	----------------

11.2. Information on other hazards

No additional information available

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Potassium bisulfite - E228 (7773-03-7)	
LC50 - Fish [1]	460 – 1000 mg/l <i>Brachydanio rerio</i>
EC50 - Other aquatic organisms [1]	65 mg/l <i>Pseudomonas putida</i> - 17h

Sulphur dioxide (E220) (7446-09-5)	
LC50 - Fish [1]	5000 ppm <i>Salvelinus spec.</i>
LC50 - Fish [2]	3200 µg/l Atlantic menhaden, <i>Brevoortia tyrannus</i>

12.2. Persistence and degradability

Potassium bisulfite - E228 (7773-03-7)	
Persistence and degradability	May be harmful to aquatic organisms, to flora, to soil organisms. Biodegradable.

Sulphur dioxide (E220) (7446-09-5)	
Persistence and degradability	Not applicable. Inorganic Gaseous Substances.

12.3. Bioaccumulative potential

Potassium bisulfite - E228 (7773-03-7)	
Bioaccumulative potential	There is no bioaccumulation.

Sulphur dioxide (E220) (7446-09-5)	
Bioaccumulative potential	Not applicable.

12.4. Mobility in soil

Sulphur dioxide (E220) (7446-09-5)	
Ecology - soil	Not applicable.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

- Other adverse effects : Do not allow to enter drains or water courses, If the product is not neutralised, it may have harmful effects on the aquatic environment
- At high concentrations : The product is suspected to inhibit waste water biological treatment systems

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Sewage disposal recommendations : Neutralise with a carbonate solution and wash with plenty of water. Do not flush into surface water or sewer system.
- Product/Packaging disposal recommendations : Empty remaining contents. Neutralise with a carbonate solution and wash with plenty of water. Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

- UN-No. (ADR) : Not regulated
- UN-No. (IMDG) : Not regulated
- UN-No. (IATA) : Not regulated
- UN-No. (ADN) : Not regulated
- UN-No. (RID) : Not regulated

14.2. UN proper shipping name

- Proper Shipping Name (ADR) : Not regulated
- Proper Shipping Name (IMDG) : Not regulated
- Proper Shipping Name (IATA) : Not regulated
- Proper Shipping Name (ADN) : Not regulated
- Proper Shipping Name (RID) : Not regulated

14.3. Transport hazard class(es)

ADR

- Transport hazard class(es) (ADR) : Not regulated

IMDG

- Transport hazard class(es) (IMDG) : Not regulated

IATA

- Transport hazard class(es) (IATA) : Not regulated

ADN

- Transport hazard class(es) (ADN) : Not regulated

RID

- Transport hazard class(es) (RID) : Not regulated

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.4. Packing group

Packing group (ADR)	: Not regulated
Packing group (IMDG)	: Not regulated
Packing group (IATA)	: Not regulated
Packing group (ADN)	: Not regulated
Packing group (RID)	: Not regulated

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Borstvoeding

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Ontwikkeling

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:			
Revision - See : *			
Section	Changed item	Change	Comments
1.1	Type of product	Added	
4.1	First-aid measures after ingestion	Modified	
4.2	Symptoms/effects after skin contact	Added	
4.2	Symptoms/effects after ingestion	Added	
5.2	Fire	Added	
7.2	Storage conditions	Modified	
8.1	Control parameters	Added	
8.2	Respiratory protection	Added	
9.1	Flash point	Added	
11.1	Skin corrosion/irritation	Added	
11.1	Respiratory or skin sensitisation	Added	
15.2	Chemical safety assessment	Modified	

SULFISOL 18%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
EUH031	Contact with acids liberates toxic gas.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H280	Contains gas under pressure; may explode if heated.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.