

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: SULFISOL 6%
UFI	: 5J44-9953-110J-V1R9
Type of product	: Preserving agent
Formula (Override)	: H2O3S
Product group	: Trade product
Other means of identification	: E220

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use
Industrial/Professional use spec	: For professional users only
Use of the substance/mixture	: Sulphur dioxide (E220) in aqueous solution, containing 60 g/L of pure sulphur dioxide. Sulphating of juice and wines. Preservative.
Use of the substance/mixture	: For œnological use

1.2.2. Uses advised against

Restrictions on use	: Food/feedstuff additives
---------------------	----------------------------

1.3. Details of the supplier of the safety data sheet

Manufacturer

LAMOTHE-ABIET
Avenue Ferdinand de Lesseps ZA-ACTIPOLIS
33610 CANEJAN - FRANCE
T +33557779292
contact@lamothe-abiet.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Rue Bruyn 1 1120 Brussels	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Bulgaria	Национален токсикологичен информационен център Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов"	бул. Ген. Едуард И. Тотлебен 21 1606 София	+359 2 9154 233	
Croatia	Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada	Ksaverska Cesta 2 p.p. 291 10000 Zagreb	+385 1 234 8342	Information available 24/7 in Croatian and English
Czech Republic	Toxikologické informační středisko Klinika pracovního lékařství VFN a 1. LF UK	Na Bojišti 1 120 00 Praha 2	+420 224 919 293 +420 224 915 402	
Denmark	Giftlinjen	Bispebjerg Bakke 23 Opgang 20 C 2400 København NV	+45 82 12 12 12	
France	ORFILA		+33 1 45 42 59 59	This number automatically directs calls to the nearest poison control center, based on the caller's location. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week.
Greece	Poisons Information Centre Children's Hospital P&A Kyriakou	11762 Athens	+30 2 10 779 3777	
Hungary	Országos Kémiai Biztonsági Intézet Egészségügyi Toxikológiai Tájékoztató Szolgálat	Nagyvárad tér 2. 1437 Budapest, Pf. 839 1097 Budapest	+36 80 20 11 99	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
Poland	National Poisons Information Centre The Nofer Institute of Occupational Medicine (Łódź)	ul. Teresy 8 P.O. BOX 199 90950 Łódź	+48 42 63 14 724	
Romania	Department of Clinical Toxicology Spitalul de Urgenta Floreasca	Calea Floreasca Bucuresti	+40 21 230 8000	
Serbia	Nacionalni centar za kontrolu trovanja - VMA	Crnotravska 17 11000 Beograd	+381 11 360 84 40	
Slovenia	Center za klinično toksikologijo in farmakologijo Interna klinika, UKCL	Zaloška 7 1000 Ljubljana	+386 522 52 83	
Sweden	Giftinformationscentralen	Solna Strandväg 21 171 54 Solna	112 – begär Giftinformation	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:vapour) Category 4 H332

Skin corrosion/irritation, Category 1 H314

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. May cause irritation to the respiratory tract.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS05



GHS07

Signal word (CLP)

: Danger

Contains

: Sulphur dioxide (E220)

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage.

H332 - Harmful if inhaled.

Precautionary statements (CLP)

: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P312 - Call a doctor, a POISON CENTER if you feel unwell.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sulphur dioxide (E220) substance with a Community workplace exposure limit	(CAS-No.) 7446-09-5 (EC-No.) 231-195-2 (EC Index-No.) 016-011-00-9 (REACH-no) 01-2119485028-34	5 – 10	Press. Gas Acute Tox. 3 (Inhalation), H331 (ATE=700 ppmv/4h) Acute Tox. 3 (Inhalation:gas), H331 (ATE=700 ppmv/4h) Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In case of doubt or persistent symptoms, consult always a physician. Remove victim from polluted area. Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a physician.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Get medical advice if skin irritation persists.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Never attempt to induce vomiting : risk of inhalation. Remove person to fresh air and keep comfortable for breathing. Loosen tight clothing such as a collar, tie, belt or waistband. If unconscious place in recovery position and seek medical advice. P310 - Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: More detailed information: See section 11.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause skin irritation / dermatitis.
Symptoms/effects after eye contact	: Eye irritation. Serious damage to eyes.
Symptoms/effects after ingestion	: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Seek a medical assistance, even if there are no immediate symptoms.

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : carbon dioxide (CO₂), powder, alcohol-resistant foam, water spray.
- Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Hazardous vapours may be released. Sulphur dioxide.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : Do not contaminate ground and surface water. Dispose in a safe manner in accordance with local/national regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Evacuate personnel to a safe area.

6.1.1. For non-emergency personnel

- Protective equipment : Wear personal protective equipment.
- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not flush into surface water or sewer system.

6.3. Methods and material for containment and cleaning up

- For containment : Cover spill with non combustible material, e.g.: sand, earth, vermiculite.
- Methods for cleaning up : Mechanically recover the product. Shovel into suitable and closed container for disposal. Clean contaminated surfaces with an excess of water.
- Other information : Dispose of materials or solid residues at an authorized site. Do not allow to enter drains or water courses.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Store tightly closed in a dry and cool place. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid inhalation of vapours.

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. If on skin, take off contaminated clothing. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep only in the original container.

Storage conditions : Keep in a well-ventilated room. Store tightly closed in a dry and cool place. Store away from direct sunlight or other heat sources.

Incompatible products : Strong acids and oxidants.

Heat and ignition sources : Keep away from ignition sources (including static discharges). Store away from heat.

7.3. Specific end use(s)

For œnological use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

SULFISOL 6%	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sulphur dioxide
IOEL TWA	≈ 1.3 mg/m³
	≈ 0.3 ppm
IOEL STEL	≈ 2.7 mg/m³
	1 ppm
Regulatory reference	Commission directive EU 2017/164

Sulphur dioxid (E220) (7446-09-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sulphur dioxide
IOEL TWA	1.3 mg/m³
	0.5 ppm
IOEL STEL	2.7 mg/m³
	1 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
Spain - Occupational Exposure Limits	
Local name	Dióxido de azufre

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sulphur dioxide (E220) (7446-09-5)	
VLA-ED (OEL TWA)	1.32 mg/m³
	0.5 ppm
VLA-EC (OEL STEL)	2.64 mg/m³
	1 ppm
Remark	s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment:

Refer to protective measures listed in Sections 7 and 8.

Personal protective equipment symbol(s):



SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:			
Safety glasses			
Type	Field of application	Characteristics	Standard
Safety glasses		With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:	
Wear suitable protective clothing	
Type	Standard
Chemically resistant protective gloves	EN 374

Hand protection:					
Protective gloves					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Chloroprene rubber (CR)	6 (> 480 minutes)	0.5		EN ISO 374
Chemically resistant protective gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.7		EN ISO 374

Other skin protection
Materials for protective clothing:
Long sleeved protective clothing. Use chemically protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. EN 143. EN 145. EN 149

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not allow into drains or water courses. Avoid release to the environment.

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information:

Do not eat, drink or smoke during work. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Explosive limits	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 100 °C Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: $\geq 1 - \leq 2$
Viscosity, kinematic	: Not applicable
Solubility	: Soluble in water. Slightly soluble in: Ethanol.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.032 kg/l 20°C
Relative density	: Not applicable
Relative vapour density at 20°C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. On contact with acid releases: Sulphur dioxide.

10.3. Possibility of hazardous reactions

May react violently with oxidants. May react violently with acids.

10.4. Conditions to avoid

Heat. flames or sparks.

10.5. Incompatible materials

Oxidizing agent. Acids.

10.6. Hazardous decomposition products

See Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Inhalation:vapour: Harmful if inhaled.

SULFISOL 6%	
ATE CLP (vapours)	11 mg/l/4h

Skin corrosion/irritation	: Slightly irritant but not relevant for classification pH: $\geq 1 - \leq 2$
Serious eye damage/irritation	: Severe eye irritation pH: $\geq 1 - \leq 2$
Additional information	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SULFISOL 6%	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Sulphur dioxide (E220) (7446-09-5)	
LC50 - Fish [1]	5000 ppm Salvenus spec.
LC50 - Fish [2]	3200 µg/l Atlantic menhaden, Brevoortia tyrannus

12.2. Persistence and degradability

Sulphur dioxide (E220) (7446-09-5)	
Persistence and degradability	Not applicable. Inorganic Gaseous Substances.

12.3. Bioaccumulative potential

Sulphur dioxide (E220) (7446-09-5)	
Bioaccumulative potential	Not applicable.

12.4. Mobility in soil

Sulphur dioxide (E220) (7446-09-5)	
Ecology - soil	Not applicable.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Other adverse effects	: Do not allow to enter drains or water courses, If the product is not neutralised, it may have harmful effects on the aquatic environment
At high concentrations	: The product is suspected to inhibit waste water biological treatment systems

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Neutralise with a carbonate solution and wash with plenty of water. Do not flush into surface water or sewer system.
Product/Packaging disposal recommendations	: Empty remaining contents. Neutralise with a carbonate solution and wash with plenty of water. Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: UN 3264
UN-No. (IMDG)	: UN 3264
UN-No. (IATA)	: UN 3264
UN-No. (ADN)	: UN 3264
UN-No. (RID)	: UN 3264

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, inorganic, n.o.s.
Proper Shipping Name (ADN)	: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Proper Shipping Name (RID)	: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Transport document description (ADR)	: UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, II, (E)
Transport document description (IMDG)	: UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, II
Transport document description (IATA)	: UN 3264 Corrosive liquid, acidic, inorganic, n.o.s., 8, II
Transport document description (ADN)	: UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, II
Transport document description (RID)	: UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, II

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



IMDG

Transport hazard class(es) (IMDG) : 8

Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8

Danger labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

SULFISOL 6%


Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C1
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L4BN
Tank special provisions (ADR)	: TU42
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S20
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B

Transport by sea

Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP27
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SGG1, SG36, SG49
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3, A803
ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C1
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C1
Special provisions (RID) : 274
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T11
Portable tank and bulk container special provisions (RID) : TP2, TP27
Tank codes for RID tanks (RID) : L4BN
Special provisions for RID tanks (RID) : TU42
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

SULFISOL 6%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen –
Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen –
Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen –
Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Revision - See : *.

Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Press. Gas	Gases under pressure
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.